



Assuring Product Compliance for Industry and Consumers

The following product compliance procedure outline aspects relating to the suitability of a product to comply with specified industry and consumer requirements. As such it enables producers in the timber flooring sector to demonstrate that their products will satisfy both industry and consumer expectations. Notably, this system is designed to support the Federal Government Building Ministers Forum for non-complying building products.

Producers will be required to provide independent certification and/or reports (marked with *) that substantiate and support the validity of the producers claimed compliance and where relevant, meet the minimum requirements set by ATFA and the industry.

ATFA standard minimum requirements:

- VOC emission rate for solvent based coatings, fillers and vapour retarding barriers to be 500 grams per litre or less
- VOC emission rate for water-based coatings, fillers and vapour retarding barriers to be 140 grams per litre or less
- VOC emissions rate for adhesives to be 100 grams per litre or less
- For laminate, engineered flooring and bamboo, formaldehyde emission levels no greater that E1
- Board structural integrity product specifications including tolerances and moisture content in keeping with the country of origins manufacturing standard and ATFA industry standards
- Independent certification and/or reports to substantiate * marked items.

While these minimum criteria are essential, the remaining criteria should be listed with the best information available, the more information provided the better for your business.

Should your information or application information sheet not clearly reflect Australian/New Zealand requirements, be unclear, ambiguous or unintentionally misleading, you may be asked to undertake considerable review, alternatively we can provide a quote to adapt these for you. Fees will be based on the assessed workload.

Pricing

The fees associated with industry product compliance are:

- Initial application per product \$250.00 AUD (inclusive of GST)
- Annual renewal per product \$110.00 AUD (inclusive of GST) this is charged at the beginning of the financial year.

Please note an individual product is one where its name represents the product set (it is fundamentally represented by its name), that is for example where a coating has varying gloss levels within that product name it is still one product. Likewise, one range of say engineered flooring with a variety of species is still one product. Any doubt please contact us at admin@atfa.com.au

ATFA reserves the right to decline any product compliance application and also to terminate product compliance forthwith at the sole discretion of ATFA at any time and any application fee shall, if the product compliance is declined or terminated, be completely forfeited to the ATFA.

By participating in the product compliance program the applicant agrees to indemnify ATFA as follows:

- 1. We acknowledge that by having product compliance approved by ATFA there is no joint venture or partnership created between our company and ATFA and we do not obtain any proprietary interests in the assets of ATFA.
- 2. We agree to inform ATFA of any legal proceedings commenced against our company during the term of our compliance with ATFA and acknowledge that ATFA may terminate our compliance and/or membership without notice in the event that judgment against me remains unsatisfied for 28 days or we are convicted of an offence subject to imprisonment.
- 3. We agree to indemnify ATFA from all claims, losses, costs and damages which are made against ATFA arising from any product failure, insolvency, breach of contract or negligence.

Recognition

You can use the ATFA Compliant Product logo (as on the first page), it's also recommended to add a copy to your website and data sheet. All details of compliant products will be listed on the ATFA website. ATFA provides temporary license to use its trademark and logo while your product compliance is current.

	Australasian
atta	Timber Flooring
atia	Association

Industry Product Compliance – Timber Floor Coatings

atta	Timber Flooring Association	Applicant:
	Association	Product Title:
		Date of Application: /
Please provide answers	s for the following items	
Manufacturer, if not the	e applicant?	
Product type descriptio	n	
Is the product for interr		
24-hour emergency cor		
Jurisdiction compliant S		
Please provide a copy of	of your product data sheet ensu	ring it includes the following items
Open/pot life		
Shelf life		
Temperature and/or humidity application range		
Storage and transport temperature limits		
Earliest recommended time a premises may be used after coating		
Safe work practices and health effects		
Please provide statements for the following items (if not on data sheet)		
Durability performance (life expectancy and applier limitations statement)		
Statement outlining compliance with GBCA requirements		
Please provide third party certification for the following items		
*Declared VOC emission	n results	
*Declared slip resistanc	e certification	



Industry Product Compliance – Timber Floor Adhesives

Association	Applicant:	
Association	Product Title:	
	Date of Application: /	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description		
What purpose is this product intended for?		
24-hour emergency contact?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data sheet ens	uring it includes the following items	
Open/pot life		
Shelf life		
Temperature and/or humidity application range		
Storage and transport temperature limits		
Full cure time (specifying relative humidity and temperature)		
Declared required subfloor conditions prior to application		
Declared moisture resistance properties (where marketed)		
Safe work practices and health effects		
Please provide statements for the following items (if not on the data sheet)		
Durability performance (life expectancy and applier lim	nitations statement)	
Statement outlining compliance with GBCA requirements		
Please provide third party certification for the following items		
*Declared VOC emission results		
*Declared acoustic properties (where marketed)		



Australasian

Industry Product Compliance – Timber Floor Moisture Timber Flooring Vapour Retarding Barriers

Association	Applicant:
•	
	Product Title:
	Date of Application:/
Please provide answers for the following items	
Manufacturer, if not the applicant?	
Product type description	
What purpose is this product intended for?	
24-hour emergency contact?	
Jurisdiction compliant SDS available from?	
Please provide a copy of your product data sheet ens	uring it includes the following items
Open/pot life	
Shelf life	
Temperature and/or humidity application range	
Storage and transport temperature limits	
Declared application thickness	
Minimum and maximum cure time before covering	
Declared required subfloor conditions prior to application	
Safe work practices and health effects	
Please provide statements for the following items (if	not on the data sheet)
Durability performance (life expectancy and applier lir	nitations statement)
Statement outlining compliance with GBCA requirements	
Please provide third party certification for the follow	ing items
*Declared VOC emission results	
*Declared moisture vapour transmission rate	



Industry Product Compliance – Levelling Compounds

Timber Floori Association	Applicant: Product Title: Date of Application: //	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description		
Is the product for internal or external use or both?		
24-hour emergency contact?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data sheet e	nsuring it includes the following items	
Open/pot life and declared shelf life in dry condition	ns .	
Declared application purpose (floated or adhesive fixed floors)		
Priming requirements		
Declared surfaces it can be applied over		
Temperature and/or humidity application range		
Storage and transport temperature limits		
Declared minimum application thickness		
Minimum and maximum cure time before covering		
Declared required subfloor conditions prior to application		
Safe work practices and health effects		
Please provide statements for the following items (if not on the data sheet)		
Durability performance (life expectancy and applier limitations statement)		
Statement outlining compliance with GBCA requirements		
Please provide third party certification for the following item		
*Declared tensile/compressive strength at 1 and 28	days	

	Australasian
atta	Timber Flooring
atia	Association

Industry Product Compliance – Timber Floor Fillers

Association	Applicant:	
1	Product Title:	
	Date of Application: /	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description		
What purpose is this product intended for?		
Filler primary ingredients?		
24-hour emergency contact?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data sheet ensuring it includes the following items		
Open/pot life		
Shelf life		
Declared use limitations (e.g. gap size, gap movement, flooring moisture content)		
Storage and transport temperature limits		
Cure time		
Safe work practices and health effects		
Please provide statements for the following items (if not on the data sheet)		
Durability performance (life expectancy and applier limitations statement)		
Darability performance (the expectancy and applier limit	Statement outlining compliance with GBCA requirements	
Statement outlining compliance with GBCA requirement		
,, , , , , , , , , , , , , , , , , , , ,		
Statement outlining compliance with GBCA requirement		



Industry Product Compliance – Laminate Flooring

atta	Timber Flooring Association	Product Title:	
		Date of Application: /	
Please provide answe	rs for the following items		
Manufacturer, if not the	he applicant?		
Product type description	on (HPL, DPL, etc.) and manufactu	uring	
Load class to EN 13329	9 (or declared equivalent)		
Length, width and thic	kness details and HDF core densit	у	
Jurisdiction compliant	Jurisdiction compliant SDS available from?		
	ompliance with GBCA requiremen		
Please provide a copy	of your installation instructions	ensuring they include the following items	
Subfloor flatness requi	irements		
Slab and timber/sheet	subfloor moisture assessment an	d moisture vapour retarding requirements	
Underlay requirement	'S		
	ediate expansion/control joint req		
		used (e.g. wet areas) or environmental limitations (humidity and temperature)	
	are and maintenance instructions		
Please provide a copy	of your product warranty ensuri	ng it includes the following items	
Period of warranty and	d what it applies to (e.g. domestic)	
Who is covered, what is and what is not covered			
Please provide third p	earty certification for the following	g items	
*Declared formaldehy	de and VOC emission results		
*Glueless joining syste	em - license to be provided		
*Declared fire resistan	nce		
*Declared slip resistan	nce certification		
*Legal logging certification	ation		

	Australasian
atta	Timber Flooring
acia	Association

Industry Product Compliance – Engineered Flooring

Timber Flooring Association	Applicant: Product Title: Date of Application	
	• •	
Discourse the control of the fall of the transfer of		
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description and manufacturing specification		
Board base layer construction type?		
Length (min and max), width, thickness and lamella thickness details?		
Coating product and system used (when pre-finished)?		
Jurisdiction compliant SDS available from?		
Statement outlining compliance with GBCA requirement	ts	
Please provide a copy of your installation instructions	ensuring they includ	e the following items
Subfloor flatness requirements (for floated and adhesive	e fixed products)	
Slab and timber/sheet subfloor moisture assessment and moisture vapour retarding requirements		
Underlay requirements (when floated)		
Perimeter and intermediate expansion/control joint requirements		
Any conditions relating to where the product cannot be used (e.g. wet areas) or environmental limitations (humidity and temperature)		
Safe work practices, care and maintenance instructions		
Please provide a copy of your product warranty ensuring it includes the following items		
Period of warranty and what it applies to (e.g. domestic, wear, coating, structural, etc.)		
Who is covered, what is and what is not covered		
Please provide third party certification for the following items		
*Declared formaldehyde and VOC emission results		
*Glueless joining system - license to be provided	Or state Tongue an	d Grove:
*Declared fire resistance		
*Declared slip resistance certification		
*Legal logging certification		

	Australasian
atta	Timber Flooring
atia	Association

Industry Product Compliance – Imported Prefinished Solid Timber Flooring

Association	Applicant:	
ASSOCIATION	Applicant	
	Product Title:	
	Date of Application: /	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description and manufacturing specification	on (to suit	
Australian conditions)		
Length (min and max), width, thickness details?		
Coating product and system used?		
Statement outlining compliance with GBCA requiremen		
Please provide a copy of your installation instructions ensuring they include the following items		
Subfloor flatness requirements		
Slab and timber/sheet subfloor moisture assessment and moisture vapour retarding requirements		
Perimeter and intermediate expansion allowance requir	rements	
Any conditions relating to where the product cannot be used (e.g. wet areas) or environmental limitations (humidity and temperature)		
Safe work practices, care and maintenance instructions		
Please provide a copy of your product warranty ensuring it includes the following items		
Period of warranty and what it applies to (e.g. domestic, wear, coating, structural, etc.)		
Who is covered, what is and what is not covered		
Please provide third party certification for the following items		
*Declared VOC emission results		
*Declared fire resistance		
*Declared slip resistance certification		
*Legal logging certification		



Industry Product Compliance – Local and imported solid T&G

Timber Flooring Association	Applicant:		
•	Product Title:		
	Date of Application: /		
Please provide answers for the following items			
Manufacturer, if not the applicant?			
Indicate manufacturing is undertaken to the ma	nufacturing specification in		
AS 2796.1 (or other Australian grading standard)	or provide information on		
the manufacturing standard that the flooring is r			
Indicate compliance to AS 2796.2 grade descript	·		
grading standard) or provide applicable grade de	escriptions (Manufacturer		
or overseas grading rules).			
Product lengths (min and max), widths and thicknesses			
Statement outlining compliance with GBCA requ			
• • • • • •	uctions, including the following and/or indicate installation to ATFA Solid Timber Flooring – Industry		
Standard as applicable.			
Subfloor requirements			
Pre-installation requirements			
Methods of installation applicable to the flooring			
Perimeter and intermediate expansion allowance requirements			
Safe work practices, care and maintenance instructions			
Compliance to the manufacturing specification	and grading rules		
Confirmation statement that the product is warn	ranted to the applicable manufacturing specification and grading rules (Note: some provision is made in		
ATFA's Solid Timber Flooring - Industry Standard and AS 2796 for product variance in a completed floor. e.g. exposure of features with sanding).			
Please provide third party certification for the following items			
*Legal logging certification			
Jote: ATEA Accredited Timber Flooring Manufact	urer members need only provide legal logging certification to comply with product compliance		

	Australasian
atta	Timber Flooring
atia	Association

Industry Product Compliance – Bamboo Flooring

Applicant:

atia	Association	Product Title:
	, 1000010111011	Date of Application: /
Please provide answer	s for the following items	
Manufacturer, if not the	e applicant?	
Product type description and manufacturing specification		
Board construction (strand woven, horizontal or vertical, engineered)?		
Length (min and max),	width and thickness?	
Coating product and sys	stem used?	
Declared moisture cont	tent range at time of production	?
Jurisdiction compliant S	SDS available from?	
Statement outlining con	mpliance with GBCA requiremen	ts
Please provide a copy of	of your installation instructions	ensuring they include the following items
Subfloor flatness requir	rements (for floated and adhesiv	e fixed products)
Slab and timber/sheet s	subfloor moisture assessment ar	nd moisture vapour retarding requirements
Underlay requirements (when floated)		
Perimeter and intermediate expansion/control joint requirements		
Any conditions relating	to where the product cannot be	used (e.g. wet areas) or environmental limitations (humidity and temperature)
Safe work practices, care and maintenance instructions		
Please provide a copy of	of your product warranty ensuri	ng it includes the following items
Period of warranty and	what it applies to (e.g. domestic	
Who is covered, what is and what is not covered		
Please provide third pa	arty certification for the following	ng items
*Declared formaldehyd	le and VOC emission results	
*Glueless joining syster	Glueless joining system - license to be provided Or state Tongue and Grove:	
*Declared fire resistance		
*Declared slip resistance	ce certification	
*Legal logging certificat	tion	



Industry Product Compliance – Composite Products/Hybrids

Association	Applicant:	
ASSOCIATION	Product Title:	
	Date of Application:/	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description (construction) and manufacturing specification		
Internal or external use?		
Length (min and max), width and thickness details and core density?		
Jurisdiction compliant SDS available from?		
Statement outlining compliance with GBCA require	ements	
Please provide a copy of your installation instruct	ions ensuring they include the following items	
Slab and timber/sheet subfloor moisture assessme		
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control join	nt requirements	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot	nt requirements ot be used (e.g. wet areas) or environmental limitations (humidity and temperature)	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control join Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct	ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot	ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control join Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct	ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control join Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct Please provide a copy of your product warranty e	ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct Please provide a copy of your product warranty e Period of warranty and what it applies to (e.g. domination)	ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items nestic)	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct Please provide a copy of your product warranty e Period of warranty and what it applies to (e.g. dom Who is covered, what is and what is not covered	nt requirements ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items nestic) lowing items	
Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct Please provide a copy of your product warranty e Period of warranty and what it applies to (e.g. dom Who is covered, what is and what is not covered Please provide third party certification for the follows:	nt requirements ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items nestic) lowing items	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct Please provide a copy of your product warranty e Period of warranty and what it applies to (e.g. dom Who is covered, what is and what is not covered Please provide third party certification for the foll *Declared formaldehyde and VOC emission results	nt requirements ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items nestic) lowing items	
Slab and timber/sheet subfloor moisture assessme Perimeter and intermediate expansion/control joir Any conditions relating to where the product cannot Safe work practices, care and maintenance instruct Please provide a copy of your product warranty e Period of warranty and what it applies to (e.g. dom Who is covered, what is and what is not covered Please provide third party certification for the foll *Declared formaldehyde and VOC emission results *Glueless joining system - license to be provided	nt requirements ot be used (e.g. wet areas) or environmental limitations (humidity and temperature) tions nsuring it includes the following items nestic) lowing items	



Industry Product Compliance – Underlays

	Timber Flooring	industry Froduct Compilance Onderlays
atfa	Timber Flooring	Applicant:
	Association	Product Title:
		Date of Application:/
Please provide answer	s for the following items	
Manufacturer, if not th	e applicant?	
Product type description (material type, use as an acoustic underlay, etc.?)		
Size product is supplied		
Jurisdiction compliant SDS available from?		
Statement outlining compliance with GBCA requirements		
Please provide copy of your installation instructions and product information ensuring they include the following items		
Flooring products the underlay is to be used with		
Thickness		
Compressive strength at 25% compression		
•	sion (required SD > 75m required	• • • • • • • • • • • • • • • • • • • •
	ier (thickness > 150um required)	as applicable
Acoustic properties (as applicable)		
Safe work practices and health effects		
Please provide a copy of your product warranty ensuring it includes the following items		
Period of warranty and what it applies to (e.g. domestic)		
Who is covered, what is and what is not covered		
Please provide third party certification for the following item		
*Declared VOC emission results		

	Australasian
atta	Timber Flooring
atia	Association

Industry Product Compliance – Equipment

atta	Timber Flooring Association	Applicant:
	Association	Product Title:
		Date of Application: /
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description (sander, edger, buffer, nailer, clamps,		
other, etc) and specifications		
Specified use for this product?		
Please provide copy of	your operating instructions, tec	chnical data and product information ensuring they include the following items
Features and use		
Equipment range		
Safety features		
Care and maintenance		
Applicable use with timber		
Safe work practices and	l health effects	
Please provide statements for the following items (if not on the technical data sheet)		
Statement that equipment is only used in keeping with installation and/or sanding methods outlined in ATFA Industry Standard publications.		
Please provide a copy of	of your product warranty ensuring	ng it includes the following items
Period of warranty and what it applies to		
Who is covered, what is and what is not covered		
Please provide third party certification for the following item		
Electrical safety certificate for use in the country intended		

	Australasian
atta	Timber Flooring
atia	Association

Industry Product Compliance – Abrasives

atfa	Timber Flooring Association	Applicant:
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description (paper base and grit types plus grit		ıs grit
range, screens, other) and intended use		
Sizes product is supplied in?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data sheet ensuring it includes the following items		
Limitations of use		
Applicable equipment that it can be used with		
Required storage conditions		
Safe work practices and health effects		
Please provide statements for the following items (if not on the technical data sheet)		
Durability performance (life expectancy and user limitations statement)		
Please provide a copy of your product warranty ensuring it includes the following items		
Who is covered, what is and what is not covered		